



Greenhouse Disease Management 2026

Dr. Mary Hausbeck

University Distinguished Professor and Extension Specialist

Department of Plant, Soil, and Microbial Sciences

Michigan State University, East Lansing, MI 48824

Botrytis

- **“A” Team.** Broadform (fluopyram + trifloxystrobin)[7/11], Daconil (chlorothalonil)[M05], Decree (fenhexamid)[17], Affirm WDG (polyoxin D zinc salt)[19], Astun (isofetamid)[7], Orkestra (fluxapyroxad + pyraclostrobin)[7/11], Palladium (cyprodinil + fludioxonil)[9/12], Mural (azoxystrobin + benzovindiflupyr)[11/7], Emblem/Medallion WDG/Spirato GHN (fludioxonil – do not apply to geraniums)[12]

Powdery Mildew

- **“A+” Team.** Eagle (myclobutanil) [3], Terraguard SC (triflumizole) [3], Tournay 50WG (metconazole) [3], Postiva (difenoconazole + pydiflumetofen) [3/7], Avelyo (mefentrifluconazole) [3]
- **“A/A-” Team.** Pageant Intrinsic (pyraclostrobin + boscalid)[11/7], Palladium WDG (fludioxonil + cyprodinil) [12/9], Mural (azoxystrobin + benzovindiflupyr)[11/7], Orkestra (fluxapyroxad + pyraclostrobin)[11/7], Broadform (fluopyram + trifloxystrobin) [7/11]
- **“B” Team.** Heritage (azoxystrobin) [11], Compass (trifloxystrobin) [11], Insignia (pyraclostrobin)[11]

Downy Mildew

- **“A+” Team.** Subdue MAXX (mefenoxam) [4], Adorn (fluopicolide) [43], Segovis (oxathiapiprolin) [49]
- **“A-” Team.** Stature SC (dimethomorph) [40], Micora (mandipropamid) [40], Orvego (ametoctradin + dimethomorph) [45/50], Segway/RenaZ SC (cyazofamid) [21], FenStop (fenamidone) [11]
- **“B” Team.** Alude (phosphorous acid products) [33], Heritage 50WG (azoxystrobin) [11], Insignia (pyraclostrobin) [11], Pageant Intrinsic (pyraclostrobin + boscalid)[11/7], Protect DF (mancozeb)[M03], Compass (trifloxystrobin) [11], Disarm G (fluoxastrobin) [11]

Phytophthora

- **“A” Team.** Subdue MAXX (mefenoxam) [4], Adorn (fluopicolide) [43], Micora (mandipropamid) [40], Segovis (oxathiapiprolin) [49]
- **“B” Team.** FenStop (fenamidone) [11], Alude (phosphorous acid products) [33], Captan (captan)[M04], Aliette WDG (fosetyl-al) [33], Segway (cyazofamid) [21], Truban/Terrazole L (etridiazole) [14], Orvego (ametoctradin + dimethomorph) [45/50], Stature SC (dimethomorph) [40]

Pythium

- **“A” Team.** Truban/Terrazole L (etridiazole) [14], Banol (propamocarb) [28], Subdue MAXX (mefenoxam) [4/Watch for pathogen resistance]

To contact an expert in your area, visit extension.msu.edu/experts or call 888-MSUE4MI (888-678-3464)

Michigan State University Extension programs and materials are open to all without regard to race, color, national origin, gender, gender identity, religion, age, height, weight, disability, political beliefs, sexual orientation, marital status, family status or veteran status. Issued in furtherance of MSU Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Quentin Tyler, Director, MSU Extension, East Lansing, MI 48824. This information is for educational purposes only. Reference to commercial products or trade names does not imply endorsement by MSU Extension or bias against those not mentioned.



For additional information, visit extension.msu.edu

- **“B/B- “Team”**. Captan (captan)[M04], FenStop SC (fenamidone) [11], Heritage 50WDG (azoxystrobin)[11], Empress Intrinsic Brand Fungicide (pyraclostrobin) [11], Segway (cyazofamid)[21], Alude (phosphorous acid products) [33]

Rhizoctonia

- **“A” Team**. Medallion/Spirato GHN (fludioxonil) [12], Terraclor 400 (pentachloronitrobenzene) [14], Affirm WDG (polyoxin D zinc salt) [19], Pageant Intrinsic Brand Fungicide (pyraclostrobin + boscalid)[11/7], Empress Intrinsic Brand Fungicide (pyraclostrobin) [11]
- **“B+” Team**. 3336/OHP 6672 (thiophanate-methyl) [1], Captan (captan)[M04], Heritage 50WG (azoxystrobin) [11]

Thielaviopsis

- **Recommendations** [Use high labeled rates]: 3336/OHP 6672 (thiophanate-methyl) [1], Terraguard SC (triflumizole) [3], Tournay (metconazole) [3]: Emblem/Medallion WDG/Spirato GHN (fludioxonil – do not apply to geraniums) [12]

Bacterial Diseases

- CuPRO 5000 (copper hydroxide; metallic copper by weight – 40%) [M01], C-O-C-S (copper oxychloride + copper sulfate; metallic copper by weight – 51.25%) [M01]
- Note:** Other copper-based products are also available for use on ornamentals but may have a lower metallic copper content than the products listed above.

Greenhouse Impatiens Downy Mildew Program 2026

1. First Application: (DAY 1)

Subdue MAXX (1 fl oz/100 gal) drench.

Treat soon after plants are received unless propagators have been treated just before shipment.

2. Second application: (DAY 7)

Segovis* (3.2 fl oz/100 gal) drench

3. Third and continuous application: (DAY 21 and every 14 days until final application described below)

Segway (2.1-3.5 fl oz/100 gal; spray) or Orvego (11-14 fl oz/100 gal; spray) or
Stature SC (6.12 fl oz/100 gal; spray) or Micora (4-8 fl oz/100 gal; spray)

4. Final application: shortly before shipment

Subdue MAXX (1 fl oz/100 gal) + Segovis* (3.2 fl oz/100 gal) drench

***Do not apply more than 9.6 fl. Oz. of Segovis to a single crop annually.**

Follow all label instructions and note warnings; local restrictions may apply. Read the label, as they change often and follow the instructions closely. Prior to use, determine if the product is registered in your state. The use of a pesticide inconsistent with the label directions can lead to civil or criminal fines and/or condemnation of the crop.

This information is for educational purposes only. Reference to commercial products or trade names does not imply endorsement by MSU Extension or bias against those not mentioned. The pesticide label is the legal document on pesticide use.

To contact an expert in your area, visit extension.msu.edu/experts or call 888-MSUE4MI (888-678-3464)